

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/508,771	03/16/2000	JINKO KIMURA	500.38296X00	8406
24203 75	590 02/07/2003			
GRIFFIN & SZIPL, PC			EXAMINER	
	TREET, SOUTH	×	THORNTON, YVETTE C	
ARLINGTON, VA 22204			ART UNIT	PAPER NUMBER
			1752	
			DATE MAILED: 02/07/2003	7/

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application N .	oplicant(s)	
		(a)	
	09/508,771	KIMURA ET AL.	
Offic Action Summary	Examiner	Art Unit	
	Yvette C. Thornton	1752	
The MAILING DATE of this communication appeared for Reply	pears on the c ver sheet wi	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute - Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b). Status	136(a). In no event, however, may a rely within the statutory minimum of thirt will apply and will expire SIX (6) MON e, cause the application to become AB	reply be timely filed by (30) days will be considered timely. ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
1) Responsive to communication(s) filed on 11	<u>December 2002</u> .		
2a) This action is FINAL . 2b) ☑ Th	nis action is non-final.		
3) Since this application is in condition for allow closed in accordance with the practice under Disposition of Claims			
4)⊠ Claim(s) 1-19 and 21-36 is/are pending in the	application.		
4a) Of the above claim(s) is/are withdra	wn from consideration.		
5) Claim(s) is/are allowed.			
6) Claim(s) <u>1-19 and 21-36</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/o	or election requirement.		
Application Papers			
9) The specification is objected to by the Examine			
10)⊠ The drawing(s) filed on <u>16 March 2000</u> is/are:			
Applicant may not request that any objection to the			
11) The proposed drawing correction filed on		isapproved by the Examiner.	
If approved, corrected drawings are required in re 12) The oath or declaration is objected to by the Ex			
•	kammer.		
Priority under 35 U.S.C. §§ 119 and 120	n priority under 25 U.S.C. i	S 110(a) (d) or (f)	
a) Acknowledgment is made of a claim for foreignal a) All b) Some * c) None of:	in priority under 35 0.5.C.	3 119(a)-(u) or (i).	
1.⊠ Certified copies of the priority document	ts have been received		
2. Certified copies of the priority document		nnlication No	
3. Copies of the certified copies of the prio application from the International Bu	rity documents have been ureau (PCT Rule 17.2(a)).	received in this National Stage	
* See the attached detailed Office action for a list	•		
14) Acknowledgment is made of a claim for domest			
 a) ☐ The translation of the foreign language pro 15)☐ Acknowledgment is made of a claim for domest 			
Attachment(s)			
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of I	Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)	

Application/Control Number: 09/508,771 Page 2

Art Unit: 1752

DETAILED ACTION

1. The request filed on December 11, 2002 for a Request for Continued Examination (RCE) under 37 CFR 1.53(d) based on parent Application No. 09/508771 is acceptable and a RCE has been established. An action on the RCE follows.

Response to Amendment

- 2. The amendment filed on December 11, 2002 has been entered and fully considered.
- 3. Claim 36 is newly added. Claims 1-19 and 21-36 are currently pending.
- 4. The examiner notes that the claims as written do not require fish eyes to be present. The specification indicates that 5 fish eyes/m² or less is required. The examiner notes that claims 1, 19 and 36 contain the limitation that the fish eyes in, "protecting film (C) does not exceed 5 fish eyes/m² when measured under a microscope at a multiplication of 100", which is a process limitation that does not further define the claimed product. Claim 36 further comprises the limitation that the "generation of air voids" in the photosensitive layer (B) "does not exceed 5 air voids/m² when measure under a microscope at a multiplication of 100 following the lamination of the photosensitive film and removal of the protecting film", which is also a process limitation. Consequently, the burden shifts to Applicant to provide evidence of an unobvious difference between the claimed product and the prior art. Furthermore, "The Patent Office bears a lesser burden of proof in making out a case of prima facie obviousness for product-by-process claims because of their peculiar nature" than when a product is claimed in the conventional fashion. In re Fessmann, 180 USPQ 324,326 (CCPA 1974), see MPEP 2113.
- 5. Furthermore, the examiner is of the position that when the protecting layer has fish eyes in the claimed range, the photosensitive layer would inherently have air voids in the claimed range after removal of the protecting film and lamination of the photosensitive film.

Art Unit: 1752

6. The following rejections are based on the above interpretations of the claims.

Oath/Declaration

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. Claims 1-5, 7-10, 13-14, 18-19, 21-25, 28-29, 31 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hilger (US 4698292) in view of Fifield (DE 3825782A, abstract). Hilger teaches a photopolymerizable recording material comprising a transparent support film, a thermoplastic photopolymerizable photoresist layer and a flexible covering film on the exposed surface of the photoresist layer (abstract). Hilger teaches that the said support preferably has a thickness in the range of 15-30 μm, and the covering film has a thickness from about 5-25 μm. The principal constituents of the photopolymerizable layer comprise a thermoplastic polymeric binder, polymerizable compounds, which are preferably (meth)acrylic acid esters of polyhydric aliphatic hydroxyl compounds and a photoinitiator. The thickness of the layer is generally in the range of between 10-100 µm, most preferably between 15-70 µm. Example 1 exemplifies a 25 µm thick polyethylene terphthalate film coated with a photopolymerizable layer having the a composition comprising a terpolymer of n-hexylmethacrylate, methacrylic acid and styrene which has a molecular weight of about 35, 000. A 12 µm thick polyethylene film was then applied by laminating to the surface of the dry film layer. The laminate obtained was stored in a large-size roll. Although, example l exemplifies the use of a 40 µm thick photopolymerizable layer, Hilger teaches that the preferred

Application/Control Number: 09/508,771

Art Unit: 1752

range is between 15-70 μ m. It would have been obvious to one of ordinary skill in the art to use a thickness within the preferred to make the photopolymerizable layer. It is the examiner's position that between 15-30 μ m, the limitations of the instant claims are meet.

Hilger teaches all the limitations of the claims except it fails to lack explicit details pertaining to the protective or covering film. The prior art of Fifield teaches that a covering film, which contains less gell and fewer inclusions would reduce the number of indentations in the resist and form a roll that is more even. The examiner is of the position that gell and inclusions are analogous to fish eyes as defined by the applicant. One of ordinary skill in the art would have been motivated by the teachings of Fifield to make the covering layer of Hilger have less gell and fewer inclusions to make the roll of Hilger more even and the resist have a reduced number of indentations. It would have been obvious to one of ordinary skill to make as few inclusions as possible and the determination of optimal results can be achieved by routine experimentation. It is the examiner's position that when the covering of Hilger is optimized as taught by Fifield, the final product will inherently meet the limitation of the claimed invention in regard to the diameter and number of fish eyes per m2. Furthermore, the examiner is of the position that when the protecting layer has fish eyes in the claimed range, the photosensitive layer would inherently have air voids in the claimed range after removal of the protecting film and lamination of the photosensitive film.

10. Claims 1-10, 13-19, 21-25 and 28-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Taguchi (US 4360582) in view of Fifield (DE 3825782). Taguchi teaches a photopolymerizable element comprising a layer of a photopolymerizable composition and a film support made of a transparent material. In order to produce a resist image on a substrate, the photopolymerizable layer is applied to a substrate, exposed imagewise to actinic radiation and developed to form an image (c. 3, l. 20-46). The said element may further comprise a strippable protective film provided on the other surface of the photopolymerizable composition layer for

Application/Control Number: 09/508,771

Art Unit: 1752

preventing blocking at the winding step and adhesion of dust during handling (c. 3, 1. 62-68). Taguchi teaches that the thinner the photopolymerizable layer, the more the resolution is improved (c. 9, 1. 17-19). Example 1 exemplifies a solution comprising polymethyl methacrylate as an organic binder, a photopolymerization monomer, and a photoinitiator coating onto a 50 μ -thick polypropylene film and dried to form a photopolymerizable layer having a dry thickness of 10 μ . The said layer was then laminated onto a 20 μ -thick polymethyl methacrylate support film. The polypropylene film was then stripped and the said layer was laminated to a treated copper-clad epoxy resin fiberglass substrate. The formed element was then exposed to actinic rays and developed to form a negative image. An etching process was then preformed to remove the copper at the areas unprotected by the resist image (c. 16, 1. 30-c. 17, 1. 17).

Taguchi teaches all the limitations of the claims except it fails to lack explicit details pertaining to the protective film. The prior art of Fifield teaches that a covering film, which contains less gell and fewer inclusions would reduce the number of indentations in the resist and form a roll that is more even. The examiner is of the position that gell and inclusions are analogous to fish eyes as defined by the applicant. One of ordinary skill in the art would have been motivated by the teachings of Fifield to make the protective layer of Taguchi have less gell and fewer inclusions to make the roll more even and the resist have a reduced number of indentations. It would have been obvious to one of ordinary skill to make as few inclusions as possible and the determination of optimal results can be achieved by routine experimentation. It is the examiner's position that when the protective film of Taguchi is optimized as taught by Fifield, the final product will inherently meet the limitation of the claimed invention in regard to the diameter and number of fish eyes per m2. Furthermore, the examiner is of the position that when the protecting layer has fish eyes in the claimed range, the photosensitive layer would inherently have air voids in the claimed range after removal of the protecting film and lamination of the photosensitive film.

Art Unit: 1752

- 11. Claims 12 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Taguchi (GB 2049072) in view of Fifield (DE 3825782) as applied to claims 1-10, 13-19, 21-25 and 28-36 above, and further in view of Hoffmann (US 4710446). Taguchi as discussed above teaches a photopolymerizable layer comprising a photopolymerization initiator. Taguchi discloses that the kind of initiator to be used is not particularly critical and any known photopolymerization initiator can be used (c. 6, l. 42-45). It is the examiner's position that 2,4,5-triarylimidazole dimer is a well known and conventional photoinitiator. This position is supported by the teachings of Hoffmann which teach that photoinitiator systems conventionally used for resist layer include benzophenone, 2,4,5triarylimidazole dimmers and mixtures thereof (c. 6, l. 9-27).
- 12. Claims 11 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Taguchi (GB 2049072) in view of Fifield (DE 3825782) as applied to claims 1-10, 13-19, 21-25 and 28-36 above, and further in view of Hatanaka (US 6133343). Taguchi as discussed above teaches a photopolymerizable layer comprising a photopolymerizable monomer. Taguchi discloses that the kind of monomer to be used is an ethylenically unsaturated compound having at least 2 unsaturated bonds in their molecule. It is the examiner's position that one of ordinary skill would have been motivated to use any ethylenically unsaturated monomer, which has at least 2 unsaturated bonds in the taught composition of Taguchi. It is well known in the art that bisphenol A polyoxyalkylene dimethacrylates are polyfunctional compounds. This position is supported by the teachings of Hatanaka which teach that 2,2'di(4-methacryloxypolyethoxyphenyl) propane, which is a type of Bisphenol A polyoxyalkylene dimethacrylate and trimethylolpropane tri(methyl)acrylate are poly-functional (meth)acrylates (c. 6, l. 9-28). Taguchi teaches that trimethylolpropane tri(methyl)acrylate is a suitable monomer. One of ordinary skill in the art would have been motivated to substitute a 2,2'di(4methacryloxypolyethoxyphenyl) propane of Hatanaka for the trimethylolpropane tri(methyl)acrylate

Art Unit: 1752

of Taguchi and expect reasonably similar results. Motivation is based on the concept that similar compounds will produce reasonably similar results.

Response to Arguments

- 13. Applicant's arguments filed December 11, 2002 have been fully considered but they are not persuasive. Applicants argue that the cited prior art reference to Hilger (US '292) is not the same field of endeavor as the claimed invention. Applicants further argue that the examiner has provided no motivation to combine the teaching of Hilger and Fifield (DE '782) and Taguchi (US '582) and Fifield (DE '782). The examiner is of the position that the claims as written pertain only to a photosensitive film. Hilger and Taguchi both teach photosensitive materials which can be used in the manufacture of printed boards (see Hilger c. 1, 1. 5-15 and Taguchi c. 3, 1. 13-18). The taught materials clearly meet the limitations of the claimed photosensitive film. Fifield teaches a dry film photoresist which is useful in printed circuit board manufacture. The examiner is of the position that one of ordinary skill in the art of printed circuit board would look to the prior art teachings of Hilger, Taguchi and Fifield for what is relevant in the art. The examiner reminds the applicant that the motivation of the prior art does not have to be that of the applicants. The examiner believes that the cited references and the claimed invention are all photosensitive materials and are considered to be analogous in the art.
- As discussed above, Hilger teaches a photopolymerizable recording material comprising a transparent support film, a thermoplastic photopolymerizable photoresist layer and a flexible covering film on the exposed surface of the photoresist layer (abstract). Hilger exemplifies in example 1 the use of 12 μm thick polyethylene film applied by laminating to the surface of the dry film layer as a protective layer. Taguchi teaches that appropriate materials for the taught protective film include polyethylene terephthalate, polyethylene film, polypropylene film and polyethylene laminated paper (c. 10, 1. 15-23). Fifield teaches the use of a low quality LDPE (low density polyethylene) which contains less gell and fewer inclusions would reduce the number of indentations in the resist and form

*

Application/Control Number: 09/508,771

Art Unit: 1752

a roll that is more even. The examiner maintains the position that one of ordinary skill in the art would have been motivated by the teachings of Fifield to make the covering layer of Hilger and the protective film of Taguchi contain less gell and fewer inclusions in order to reduce the number of indentations in the resist. It would have been obvious to one of ordinary skill to make as few inclusions as possible and the determination of optimal results can be achieved by routine experimentation. It is the examiner's position that when the covering of Hilger and the protective film of Taguchi are optimized as taught by Fifield, the final product will inherently meet the limitation of the claimed invention in regard to the diameter and number of fish eyes per m2. Furthermore, the examiner is of the position that when the protecting layer has fish eyes in the claimed range, the photosensitive layer would inherently have air voids in the claimed range after removal of the protecting film and lamination of the photosensitive film.

- 15. In regard to the declaration evidence submitted by Inventor Ishikawa. Example 1 of the said declaration attempts to establish that air voids are dependent upon the thickness of the photosensitive layer. However, applicants have failed to show that the claimed invention generates air voids at a rate different than any other material.
- 16. Furthermore, Hilger teaches a preferred thickness of his photopolymerizable layer to be in the range of 15-70 μ m. It would have been obvious to one of ordinary skill in the art to use a thickness within the preferred range to make the photopolymerizable layer. It is the examiner's position that between 15-30 μ m, the limitations of the instant claims are met and the taught invention would inherently generate air voids within the claimed range. Taguchi clearly teaches a photopolymerizable layer having a dry thickness of 10 μ m, which is clearly within the claimed range.
- 17. Applicants argue that fish eyes are not a result effective variable and therefore could not be optimized by routine experimentation. The examiner has failed to find evidence that when the prior art is optimized as taught by Fifield, it does not inherently meet the limitations of the instant claims.

Example 2 of the said declaration compares a NF-13 low density polyethylene protective film to a film of the claimed invention in order to show unexpected or surprising results. However, the rejection of the claims was not based on the use of a low density polyethylene as taught by Fifield. Instead, Fifield was relied upon as motivation for one of ordinary skill in the art to optimize a protective film to have as few inclusions as possible in order to reduce the number of indentations in the resist. The declaration evidence fails to show that optimization of the protective film of Hilger or Taguchi would not produce fish eyes within the claimed range.

- 18. Applicants emphasize that the prior art fails to teach measuring the fish eyes under a microscope at a multiplication of 100. As discussed in item 4 above, the said limitation introduces a process limitation on a product claim, which does not further define the material. Therefore, any method may be used to measure the said fish eyes. The examiner has failed to find any evidence with that establishes an unobvious difference between the claimed product and the prior art.
- 19. Applicants further argue that the prior art reference of Hatanaka is non-analogous to the field of endeavor. The examiner has relied upon the said reference to merely teach that it is well known in the art of resinous compositions that bisphenol A polyoxyalkylene dimethacrylates are polyfunctional compounds. The intended use of the said reference has no bearing on the disclosure of Hatanaka that 2,2'di(4-methacryloxypolyethoxyphenyl) propane, which is a type of Bisphenol A polyoxyalkylene dimethacrylate, and trimethylolpropanetri(methyl)acrylate are poly-functional (meth)acrylates (c. 6, l. 9-28).

Conclusion

20. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Yu et al. (US 6037100 A), which teaches a dry film photoresist.

Application/Control Number: 09/508,771 Page 10

Art Unit: 1752

21. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yvette C. Thornton whose telephone number is 703-305-0589. The examiner

can normally be reached on Monday-Thursday 8-6:30.

22. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Janet C. Baxter can be reached on 703-308-2303. The fax phone numbers for the organization where

this application or proceeding is assigned are 703-872-9310 for regular communications and 703-872-

9311 for After Final communications.

23. Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is 703-308-1495.

24. Please note that the examiner has recently changed her name from "Clarke" to

16 Aslta

"Thornton".

yct V

January 31, 2003

ROSEMARY ASHTON PRIMARY EXAMINER